

Chemical composition and ecological and biological characteristics of *Halenia corniculata*

© Tatiana M. Shishmareva,*[†] and Vyacheslav M. Shishmarev

Institute of General and Experimental Biology. Siberian Division, Russian Academy of Sciences.
SakhyanovohSt., 6. Ulan-Ude, 670047. Buryatia Republic. Russia.
Phone: +7 (3012) 43-47-43. E-mail: shishmarevatm@rambler.ru

*Supervising author; [†]Corresponding author

Keywords: *Halenia corniculata*, Gentianaceae, chemical composition, phytomass, biological resources, exploitation resources.

Abstract

In this paper the chemical composition of the aerial part of *Halenia corniculata* (Gentianaceae), assembled in the territory of Kabansky District of the Republic of Buryatia and Irkutsk region in 2016 is studied. The quantitative content of the dominant groups of biologically active substances is identified in the 5 samples *H. corniculata* (coenopopulations 1-5). The quantitative content of γ -pyrone compounds in the aerial part of *H. corniculata* ranges from 6.11 to 10.83% (chromato-spectrophotometric method), organic acids – from 4.53 to 5.78% (technique of potentiometric titration), tannins – from 1.03 to 1.26% (trilonometric method) alkaloids – from 0.21 to 0.31% (gravimetric method), water-soluble polysaccharides – from 2.79 to 3.31% (gravimetric method), pectin substances – from 5.46 to 6.11 % (gravimetric method) and hemicellulose – from 5.72 to 6.75 % (gravimetric method) (abs.-dry raw materials).

An ecological and biological characteristic of *H. corniculata* is investigated. The 5 geobotanical descriptions in plant communities with the participation of *H. corniculata* are done in the district of research. Learned coenopopulations *H. corniculata* are confined to the following communities: *Achillea* – *Halenia* – herb, *Halenia* – *Leucanthemum* – herb, *Potentilla* – *Halenia* – herb, *Halenia* – *Achillea* – herb and *Potentilla* – *Chamerion* – herb.

The predictive estimate of resources of raw materials *H. corniculata* in Kabansky region of the Republic of Buryatia and Irkutsk region is spent. Phytomass, biological and exploitation resources of the aerial part of *H. corniculata* is identified. Phytomass of *H. corniculata* ranges from 22.1 ± 5.7 to 146.0 ± 31.6 g/m² (fresh raw materials) and from 5.6 ± 1.5 to 33.5 ± 7.8 g/m² (air-dry raw materials). The largest stock of raw materials of *H. corniculata* is in *Halenia* – *Achillea* – herb (coenopopulations 4). Total biological resources of *H. corniculata* in the study area (4.01 hectares) are 4246.8 kg (fresh raw materials) and 989.3 kg (air-dry raw materials). Total exploitation resources of *H. corniculata* are 2372 kg (fresh raw materials) and 504.3 kg (air-dry raw materials).

References

- [1] T.M. Shishmareva, L.M. Tankhaeva, D.N. Olennikov, S.M. Nikolaev. Isolation, chemical modification and cholagogic action of some derivatives of xanthones from *Halenia corniculata*. *Butlerov Communications*. **2011**. Vol.28. No.20. P.58-67. ROI: jbc-02/11-28-20-58
- [2] T.M. Shishmareva, D.N. Olennikov. γ -Pyrone compounds of *Halenia* species. *Butlerov Communications*. **2012**. Vol.32. No.12. P.74-79. ROI: jbc-02/12-32-12-74
- [3] T.M. Shishmareva, V.M. Shishmarev. Chemical composition of *Pteridium pinetorum*. *Butlerov Communications*. **2014**. Vol.38. No.4. P.33-41. ROI: jbc-02/14-38-4-33
- [4] T.V. Kornopoltseva, E.V. Petrov, E.A. Botoeva. For issues of standardization drugs herbal remedy. *Butlerov Communications*. **2016**. Vol.45. No.2. P.136-139. DOI: 10.37952/ROI-jbc-01/16-45-2-136
- [5] T.V. Kornopoltseva, E.V. Petrov, E.A. Botoeva. The phytochemical research of new remedy. *Butlerov Communications*. **2016**. Vol.45. No.2. P.140-142. DOI: 10.37952/ROI-jbc-01/16-45-2-140
- [6] N.I. Kashchenko, N.K. Chirikova, D.N. Olennikov. Ellagitannins in Rosaceous plants from the flora of Sakha (Yakutia) Republic. *Butlerov Communications*. **2014**. Vol.39. No.8. P.127-138. ROI: jbc-02/14-39-8-127

- [7] N.I. Kashchenko, D.N. Olennikov. Spectrophotometric analysis of phenolic compounds medicinal calendulas (*Calendula officinalis* L.). Revision study of existing methods. *Butlerov Communications.* **2014.** Vol.37. No.1. P.146-155. DOI: jbc-02/14-37-1-146
- [8] Danzan-Phuntsok. Shelphreng. Woodcuts in the Tibetan language. *Aginsky datsan.* **1763.**
- [9] Desrid Sanchzhay-Chzhamso. Vaidurya-onbo. Woodcuts in the Tibetan language. *Aginsky datsan.* **1688-1689.**
- [10] V.V. Telyat'ev. Healing treasures. *Irkutsk.* **1991.** 400p. (russian)
- [11] A.N. Kudrin, S.M. Nikolaev, K.S. Lonshakova, Z.G. Sambueva. Membrane-stabilizing action of plant phenols. Proc. rep. 5th Congress of Pharmacologists USSR. *Zaporozhye.* **1985.** P.86-87. (russian)
- [12] L.M. Tankhaeva, G.G. Nikolaeva, V.I. Glyzin, I.N. Pinchuk. γ -Pyrone derivatives from *Halenia corniculata*. *Chem. Nat. Comp.* **1984.** Vol.20. No.6. P.747.
- [13] L.M. Tanhaeva, O. Pureb, N.F. Komissarenko, G.G. Nikolaeva, G. Odontuyaa. Xanthones of *Halenia corniculata* (L.) Cornaz from Mongolia. *Plant resources.* **1995.** Vol.31. No.1. P.57-61. (russian)
- [14] O. Purev, G. Odontuya, H. Oyun, L.M. Tankhaeva, A. Nasreen. Atta-ur-rahman. Xanthones of *Halenia corniculata*. Part I. *Natural Product Letters.* **1995.** Vol.5. P.261-268.
- [15] G. Odontuya, O. Purev, G. Davaa-Sambuu, A. Nasreen. Atta-ur-rahman. Xanthones of *Halenia corniculata*. Part II. *Natural Product Letters.* **1995.** Vol.5. P.269-273.
- [16] S. Rodriguez, J.-L. Wolfender, G. Odontuya, O. Purev, K. Hostettmann. Xanthones, secoiridoids and flavonoids from *Halenia corniculata*. *Phytochemistry.* **1995.** Vol.40. P.1265-1272.
- [17] S. Rodriguez, J.-L. Wolfender, K. Hostettmann, G. Odontuya, O. Purev. Corniculoside, a new biosidic ester secoiridoid from *Halenia corniculata*. *Helvetica Chimica Acta.* **1996.** Vol.79. P.363-370.
- [18] G. Odontuya, K. Kojima, S. Rodriguez, O. Purev, Y. Ogihara, K. Hostettmann. Xanthones from *Halenia corniculata*. *Chemical and Pharmaceutical Bulletin.* **1998.** Vol.46. P.1827-1828.
- [19] O. Pureb, G. Odontuyaa, D. Hishgee, H. Oyuun, L.M. Tanhaeva, G.G. Nikolaeva, N.F. Komissarenko. Flavonoids of *Halenia corniculata* (L.) Cornaz and *Lomatogonium rotatum* (L.) Fries ex Fern. (Mongolia). *Plant resources.* **1994.** Vol.30. No.1-2. P.148-151. (russian)
- [20] V.N. Karpovich. Phytochemical research Transbaikalian species of Gentianaceae. Questions Pharmacognosy. **1960.** Vol.12. P.201-208. (russian)
- [21] Patent of Russian Federation № 2264211. A process for producing 1-hydroxy-2,3,5-trimethoxyxanthone, has choleric and hepatoprotective action. Mikhailov T.M., Tanhaeva L.M., Sambueva Z.G., Olennikov D.N., Tsyrenzhapov A.V., Nikolaev G.G., Nikolaev S.M., Bodoev N.V. 20.11.2005. (russian)
- [22] Patent of Russian Federation № 2178302. A process for producing 1-hydroxy-2,3,4,5-tetramethoxyxanthone, has choleric and hepatoprotective action. Tanhaeva L.M., Nikolaeva G.G., Dargaeva T.D., Tsyrenzhapov A.V., Nikolaev S.M., Ubeev I.P., Sambueva Z.G. 20.01.2002. (russian)
- [23] Mikhailova T.M., Olennikov D.N., Tankhaeva L.M., Nikolaeva G.G. Xanthones from *Halenia corniculata*. 2. Quantitative determination of total γ -pyrone content in the aerial part. *Chemistry of Natural Compounds.* **2005.** Vol.41. No.3. P.303-305.
- [24] D.N. Olennikov, L.M. Tanhaeva, G.G. Nikolaev, A.A. Markarian. Methods of quantitative determination of the total content of organic acids in the plant material. *Plant Resources.* **2004.** Vol.40. No.3. P.112-117. (russian)
- [25] Chemical analysis of medicinal plants. Ed. N.I. Grinkevich, L.N. Safronich. *Moscow.* **1983.** 221p. (russian)
- [26] D.N. Olennikov, L.M. Tanhaeva. Development of technology for the dry extract of *Plantago major*. *Chemistry of Plant Raw Materials.* **2006.** No1. P.49-54. (russian)
- [27] The State Pharmacopoeia of the USSR. XI edition. V.1. *Moscow.* **1987.** (russian)
- [28] Y.I. Alexandrov, V.I. Belyakov. Error and uncertainty of the result of chemical analysis. *Journal of Analytical Chemistry.* **2002.** Vol.57. No.2. P.118-129. (russian)
- [29] K. Derffel. Statistics in analytical chemistry. *Moscow.* **1994.** 267p. (russian)