Prolonged biomedical materials based on modified cellulose

© Ellina E. Dosadina,¹ Elizavetta E. Savelyeva,¹ Anastasia Y. Evdokimenko,¹ Liliana L. Brkich,³ Dmitry A. Bidanov,¹ Elena O. Medusheva,² Natalia V. Pyatigorskaya,³ Galina E. Brkich,³ and Alexey A. Belov^{1,2}*⁺

¹*Mendeleev University of Chemical Technology of Russia. Department of Biotechnologies.* Heroev Panfilovcev St., 20. Moscow, 125480. Phone: +7 (499) 978-95-15. ² Research Institute of Textile Materials. Kyrpichnaya St., 6. Moscow, 129344. Phone: +7 (499) 369-11-02. ³ Sechenov First Moscow State Medical University. E-mail: ABelov2004@, yandex.ru

*Supervising author; ⁺Corresponding author

Keywords: immobilized proteases, Chitosan-coated dialdehyde cellulose, proteins drying, dressing materials, chitosan, dialdehydecellulose.

Abstract

The development of targeted drug delivery systems to the affected body is currently one of the most promising areas of development of systems with controlled release of the active substance. In this case, the most important property of such dressings for wound healing, as already noted, is their biodegradability without the formation of toxic decomposition products. The study of the kinetics of degradation of the created therapeutic systems, as well as the analysis of the compounds formed in this process, is one of the main stages in the development of wound healing coatings, not only justifying the safety of the use of the compositions, but also explaining the principle of their work on the wound. The process of destruction of both cellulosic carriers and the finished therapeutic compositions based on them, as well as the dynamics of changes in their basic properties over time (composition, hydrodynamic radius, zetta potential, enzymatic and antioxidant activity of the preparations) were studied. Based on the literature and experimental data, it is concluded that chitosan stabilizes both immobilized hydrolases and oxidized cellulosic carrier. During the storage of immobilized drugs, solid-phase modification of chitosan-containing derivatives takes place. The scheme of the structure of immobilized drugs is proposed. On the basis of the received and literary data it is possible to assume the mechanism of action of the preparations resulted in work. At the first stage, desorption of mechanically involved and weakly bound drugs takes place. Then the drugs bound by chemical bonds are desorbed (as a result of dissociation or rupture of the bond), and the last to come out preparations after hydrolytic destruction of polysaccharide compositions.

References

- [1] A.E. Bobrovnikov, N.B. Malyutina, V.A. Filippenko et al. The use of modern wound dressings for the treatment of superficial and border burn wounds. *Plastic Surgery and Cosmetology*. 2012. No.2. P.267-277. (russian)
- [2] A.A. Belov. Textile materials containing immobilized hydrolases for medical and cosmetic purposes. Receiving. Properties. Application. LAP LAMBERT Acad. Pub., GmbH & Co. KG. KG, Germany. 2012. 242p.
- [3] A.A. Belov. Development of industrial technologies for the production of new medical materials based on modified fiber-forming polymers containing biologically active protein substances. Diss. On suis. The scientific step. Doctor of technical. Science. Moscow: RCTU. 2009. P.385. (russian)
- [4] E.E. Dosadina, M.A. Bikineeva, A.Y. Evdokimenko et al. Immobilization of proteinases of proteolytic complex of hepatopancreas of crab on some polysaccharides: production, properties, application. Butlerov Communications. 2016. Vol. 48. No.12. P.83-93. DOI: 10.37952/ROI-jbc-01/16-48-12-83
- [5] G.I. Nazarenko, I.Yu. Sugurova, S.P. Gliantsev. A wound, a bandage, a patient. *Moscow: Medicine.* 2002. 469p. (russian)
- [6] M.D. Mashkovsky. Medicines. *Moscow: The New Wave.* 2012. 1216p. (russian)
- [7] G.L. Miller. Use of dinitrosalicylic acid reagent for determination of reducing sugar. Anal. Chem. 1959. Vol.31. No.3. P.426-428.
- [8] Russian patent RU (11) 2323748, Medical dressing containing a complex of enzymes from crab hepatopancreas, and a method for its preparation.

Kazan. The Republic of Tatarstan. Russia. © Butlerov Communications. 2017. Vol.50. No.5. 109

- **Full Paper** O.P. Chervyakova, N.A. Suyasov, A.M. Fomicheva, I.V. Shakir, and V.I. Panfilov E.E. Dosadina, E.E. Savelyeva, A.Y. Evdokimenko, L.L. Brkich, D.A. Bidanov, E.O. Medusheva, N.V. Pyatigorskaya, G.E. Brkich, and A.A. Belov
- [9] Z.A. Rogovin. Chemistry of cellulose. Moscow: Chemistry. 1972. P.125-244. (russian)
- [10] L.A. Nudga, V.A. Petrova, I.V. Gofman. Chemical and structural transformations in chitosan films during storage. J. Appl. Chem. 2008. Vol.81. Iss.11. P.1877-1881. (russian)
- [11] Clinical pharmacokinetics. The practice of dosing of drugs: Spec. Release of the series "Rational Pharmacotherapy". Belousov Yu.B., Gurevich K.G. Moscow: Litterra. 2005. 288p. (russian)
- L.G. Vlasov, R.B. Virnik. Study of absorbable textile materials containing immobilized enzymes. Appl. [12] Biochem. And Microbe. 1988. Vol.XXIV. Iss.2. P.264-268. (russian)
- [13] V.V. Ryltsev, R.B. Virnik. Investigation of the kinetics of the release of trypsin immobilized on dialdehydcellulose under hydrolytic degradation. Antibiotics and Chemotherapy. 1989. Vol.34. No.3. P.202-205. (russian)
- [14] Charles J. Knill, John F. Kennedy Degradation of cellulose under alkaline conditions. *Carbohydrate* Polymers. 2003. Vol.51. P.281-300.
- [15] A.A. Belov. Influence of physiologically active substances on the basis of proteinases immobilized on to the modified cellulose. Butlerov Communications. 2012. Vol.32. No.11. P.91-95. ROI: jbc-02/12-32-11-91
- A.A. Belov, A.I. Korotaeva, O.E. Malenko et al. Medical materials based on modified cellulose, [16] chitosan and multienzyme complex. Butlerov Communications, 2014. Vol.38. No.4. P.42-47. ROI: jbc-02/14-38-4-42
- E.E. Dosadina, A.A. Belov. Interaction Between Chitosan Solutions, Cellulose Carriers and Some of the [17] Multi-enzyme Complexes. International Journal of Bioorganic Chemistry. 2017. Vol.2. No.2. P.51-60. DOI: 10.11648 / j.ijbc.20170202.12
- [18] E.E. Dosadina, M.A. Kulmetyeva, A.A. Belov. The changing of the enzymatic activity of hydrolases immobilized on natural polysaccharide matrix for purulent and burn wounds during storing and exploitation. Biointerface Research in Applied Chemistry. 2016. Vol.6. Iss.3. P.1291-1298.
- E.E. Dosadin, M.A. Bikineeva, A.Yu. Evdokimenko et al. Study of the interaction of chitosan and some [19] hydrolases. Proceedings of universities. Applied Chemistry and Biotechnology. 2017. Vol.7. No.1. P.62-71. DOI: 10.21285 / 2227-2925-2017-7-1-62-71
- [20] A.A. Panova, V.V. Mozhaev. Correlation between the stability of α -chymotrypsin at high temperatures and the "salting" force of the solution. Biochemistry. 1992. Vol.57. Iss. 10. P.1554-1565. (russian)